



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/852,002	05/10/2001	Soo-Han Park	1349.1024	4122	
21171	7590 12/19/2005		EXAM	EXAMINER	
STAAS & HALSEY LLP SUITE 700 1201 NEW YORK AVENUE, N.W.			CHU, KIN	CHU, KIM KWOK	
			ART UNIT	PAPER NUMBER	
	ON, DC 20005	•	2653	<u></u>	
			DATE MAILED: 12/19/2003	DATE MAILED: 12/19/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/852,002	PARK, SOO-HAN		
		Examiner	Art Unit		
		Kim-Kwok CHU	2653		
	The MAILING DATE of this communication app				
Period fo					
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Depend for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirr vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1)🖂	Responsive to communication(s) filed on Amer	ndment filed on 9/19/2005.			
2a)⊠	This action is FINAL . 2b) This action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.		
Dispositi	ion of Claims				
5)⊠ 6)⊠ 7)⊠	Claim(s) <u>1-32</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) <u>5-12,15-17,20-26 and 30-32</u> is/are allo Claim(s) <u>1-4,13,14,18,19,28 and 29</u> is/are reject Claim(s) <u>27</u> is/are objected to. Claim(s) are subject to restriction and/or	owed. cted.			
Applicati	on Papers				
10)	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the conference of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Example 1.	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
12)⊠ a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prioric application from the International Bureau see the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage		
Attachment		🗖			
2) D Notice 3) D Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:			

Response to Remarks

- 1. Applicant's Remarks filed on September 19, 2005 have been fully considered but they are not persuasive.
- (a) With respect to the Remarks on claims 1 and 2,
 Applicant states that the prior art of Kajiyama has no
 reasonable chance of success or motivation to replace the photo
 detector 8 (page 16 of the Remarks, lines 31-34). Accordingly,
 both the prior art of Kajiyama's and Abe's detectors detect
 light beams reflected from the disc. Furthermore, both
 detectors detect DVD and CD discs. Since the prior art of
 Kajiyama does not disclose how the photo-detective elements lay
 out in his detector 8, it would have been obvious to use a
 similar detector which is able to perform the same function.
 In other words, it would have been obvious to one of ordinary
 skill in the art to replace Kajiyama's detector 8 with Abe's
 detector 28 because Abe illustrates the detail structure of his
 photo-detective elements.
- (b) Applicant does not agree that the prior art of Kajiyama and Abe can be combined because as a result Kajiyama required to redesign his remaining components (page 16 of the Remarks, last 6th and 7th lines). Accordingly, although Kajiyama teaches the detected signal from the photodetector 8 applies to a determining circuit 14 for identifying the type of optical disk mounted to the apparatus, the other RF demodulating

circuit 16 connected to the photodetector 8 is a general purpose recorded signal detection means which can be applied to Abe's photodetector 28 for processing detected signals. In other words, When the Kajiyama's photodetector 8 is replaced by Abe's photodetector 28, Kajiyama's RF demodulating circuit 16 can be used to receive and process signals reflected on the replaced photodetector 28 from a CD or DVD disk.

(c) With respect to the Remarks on claims 3, 4, 13, 14, 18, 19, 28 and 29, Applicant states that the prior art of Abe's diffraction grating 112A is not his embodiment but an example of the conventional optical pick-up configuration (page 15 of the Remarks, lines 22 and 23). Accordingly, the diffraction grating 112A as illustrated in Abe's Fig. 4 is the same diffraction grating 22A as illustrated in Figs. 9 and 10. Abe does not introduce a new form of diffraction grating. On the other hand, Abe explains the difference between Fig. 4 and Fig. 10 is that the prism 113 can be eliminated (Figs. 4 and 10; column 15, lines 17-36).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -(e) the invention was described in a patent granted
on an application for patent by another filed in the
United States before the invention thereof by the
applicant for patent, or on an international
application by another who has fulfilled the
requirements of paragraphs (1), (2), and (4) of
section 371(c) of this title before the invention
thereof by the applicant for patent.

3. Claims 3, 4, 13, 14, 18, 19, 28 and 29 are rejected under 35 U.S.C. § 102(e) as being anticipated by Abe et al. (U.S. Patent 6,084,843).

Abe teaches a disk player having all the elements and means as cited in claims 3 and 4. For example, Abe teaches the following:

- (a) as in claim 3, a first laser diode 21A emitting a first laser beam to a first optical disk 41A (Fig. 10);
- (b) as in claim 3, a second laser diode 21B emitting a second laser beam to a second optical disc 41B (Fig. 10);
- (c) as in claim 3, a single diffraction grating 112A selectively splitting the first and the second laser beams into three rays depending on which optical disk is to be accessed, wherein the three rays comprise a main ray and two sub-rays

09/852,002 Page 5 AU 2653

(Figs. 3, 6 and 7; diffractive grating 112A splits a light beam into zero order and plus, minus 1st order rays);

- (d) as in claim 3, a photo-detector 28 actively receiving the three rays of the first laser beam and the three rays of the second laser beam at different detecting portions for data recording and/or reproduction and error detection and compensation (Fig. 11; column 4, lines 50-58);
- (e) as in claim 3, the detecting portions comprise a central detecting portion and two peripheral detecting portions (Fig. 11);
- (f) as in claim 4, the photodetector 28 receives the main ray of the first laser beam on the central detecting portion to determine a focus error (Fig. 11; column 14, lines 60-65);
- (g) as in claim 4, the main ray of the first laser beam is used to record and/or reproduce the data on/from the first optical disk (Fig. 11); and
- (h) as in claim 4, the photodetector receives the sub-rays of the first laser beam on the peripheral detecting portions to determine a tracking error (Fig. 11; column 14, lines 55-60).

4. Claims 13 and 14 have limitations similar to those treated in the above rejection, and are met by the references as discussed above. Claims 13 and 14 however also recite the following limitations which are taught by the prior art of Abe. For example, Abe teaches the following:

- (a) as in claim 13, the photo-detector is a six-split photo-detector comprising four cells on a central detecting portion and two cells on peripheral detecting portions (Fig. 10);
- (b) as in claim 14, the main ray of the first laser beam arranged on an optical axis is detected from the central detecting portion 28A to record and/or reproduce the data on/from the first optical disk (Fig. 11); and
- (c) as in claim 14, the main ray of the second laser beam strayed from the optical axis is detected from one of the peripheral detecting portions 28B to record and/or reproduce the data on/from the second optical disk (Fig. 11).
- 5. Method claims 18 and 19 are drawn to the method of using the corresponding apparatus claimed in claims 3 and 4. Therefore method claims 18 and 19 correspond to apparatus claims 3 and 4 and are rejected for the same reasons of anticipation as used above.

6. Method claim 28 is drawn to the method of using the corresponding apparatus claimed in claim 3. Therefore method claim 18 corresponds to apparatus claim 3 and is rejected for the same reasons of anticipation as used above.

Page 7

- 7. Claim 29 has limitations similar to those treated in the above rejection, and is met by the references as discussed above. Claim 29 however also recites the following limitations which are taught by the prior art of Abe. For example, Abe teaches the following:
- (a) as in claim 29, the main ray of the first laser beam arranged on an optical axis is detected from the central detecting portion 28A to record and/or reproduce the data on/from the first optical disk (Fig. 11); and
- (b) as in claim 29, the main ray of the second laser beam strayed from the optical axis is detected from one of the peripheral detecting portions 28B to record and/or reproduce the data on/from the second optical disk (Fig. 29).

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 1 and 2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kajiyama et al. (U.S. Patent 6,552,990) in view of Abe et al. (U.S. Patent 6,084,843).

Kajiyama teaches an apparatus fro recording and/or reproducing data on and/or from various types of optical disks very similar to that of the present invention. For example, Kajiyama teaches the following:

- (a) as in claim 1, a first laser diode 1a emits a first laser beam (Fig. 2; laser diode 1a is for DVD and laser diode 1b is for CD; column 8, lines 18-23);
- (b) as in claim 1, a second laser diode 1b emits a second laser beam (Fig. 2; laser diode 1a is for DVD and laser diode 1b is for CD; column 8, lines 18-23);

(c) as in claim 1, a diffraction grating 5 selectively splitting the first and the second laser beams into a main ray and two sub-rays (Fig. 20);

Page 9

- (d) as in claim 1, the diffraction grating 5 is movable between a first position and a second position along an optical axis (Fig. 2; column 7, lines 55 and 56);
- (e) as in claim 1, a photo-detector 8 for receiving the main ray based on the first position of the diffraction grating (Fig. 2);
- (f) as in claim 1, a photo-detector 8 for receiving the
 main ray based on the second position of the diffraction
 grating (Fig. 2);
- (g) as in claim 1, the first and second laser diode 1a, 1b are formed in one package 1 (Fig. 2); and
- (h) as in claim 2, the photodetector 1 is a single unit on which both the first and second detecting portions 1a, 1b are formed (Fig. 2).

However, Kajiyama does not teach the following:

- (a) as in claim 1, the photo-detector 8 having at least a first detecting portion and a second detection portion;
- (b) as in claim 1, the first detection portion at a first location receiving the main ray of the first laser beam; and

09/852,002 Page 10 AU 2653

(c) as in claim 1, the second detection portion is at a different location receiving the main ray of the second laser beam.

Abe teaches an optical pickup having the following features:

- (a) a photodetector having at least a first detecting portion 28B and a second detection portion 28A (Figs. 11 and 26; column 9, lines 1-39);
- (b) the first detection portion 28B at a first location receives the main ray of the first laser beam (Figs. 11, 26; 28B is the DVD signal detecting); and
- (c) the second detection portion 28A at a differentlocation receives the main ray of the second laser beam (Figs.11, 26; 28A is the CD signal detecting portion).

To detect the reflected light beams of two laser sources of different wavelengths arranged side by side suitable for a CD and DVD disk drive, a photodetector should have two detecting portions placed into a conjugate position where each detecting portion receives its corresponding reflected light beam. Hence, to receive Kajiyama's light beams reflected from two different disks such as CD and DVD on two different locations on Kajiyama's photodetector 8, it would have been obvious to one of ordinary skill in the art to replace the photodetector 8 with Abe's photodetector 28A, 28B, because the

first detecting portion 28B has a photodetecting element layout designed as differential phase detection system for detecting light beams reflected from a DVD and the second detecting portion 28A has a photodetecting element layout designed as a three beam detection system for detecting light beams reflected from a CD.

Allowable Subject Matter

- 10. Claims 5-12, 15-17 20-26 and 30-32 are allowable.
- 11. Claim 27 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 12. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

As in claims 5, 17, 20 and 32, the prior art of record fails to teach or fairly suggest the following features:

- (a) the photodetector receives the main ray of the second laser beam on one of the peripheral detecting portions to record and/or reproduce the data on/from the second optical disk; and
- (b) the photodetector receives one of the two sub-rays of the second laser beam on the central detecting portion to determine a focus error and a tracking error on the second optical disk.

As in claims 12 and 27, the prior art of record fails to teach or fairly suggest the following features:

(a) an error occurring due to initial positions of the first laser diode and the second laser diode is compensated for

09/852,002 Page 13 AU 2653

by selectively moving the diffraction grating between a first position and a second position; and

(b) the first position being such that the main ray of the first laser beam is incident on the central detecting portion, while the two sub-rays are incident on the peripheral detecting portion, and the second position being such that the main ray of the second laser beam is incident on one of the peripheral detecting portions, while one of the two sub-rays is incident on the central detecting portion.

As in claims 15 and 30, the prior art of record fail to teach or fairly suggest the following features:

- (a) receiving the main ray of the first laser beam on four cells of the central detecting portion to determine a focus error and to record and/or reproduce the data on/from the first optical disk;
- (b) receiving the sub-rays of the first laser beam on two cells of the peripheral detecting portions, respectively, to determine a tracking error;
- (c) receiving the main ray of the second laser beam on one of the two cells of the peripheral detecting portions to record and/or reproduce the data on/from the second optical disk; and
- (d) receiving one of the two sub-rays of the second laser beam on the four cells of the central detecting portion to

09/852,002 Page 14 AU 2653

determine a focus error and a tracking error on the second optical disk.

The features indicated above, in combination with the other elements of the claims, are not anticipated by, nor made obvious over, the prior art of record.

13. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action

Any response to this action should be mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Or faxed to:

(571) 273-8300 (for formal communications intended for entry. Or:

(571) 273-7585, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Any inquiry of a general nature or relating to the status of this application should be directed USPTO Contact Center (703) 308-4357; Electronic Business Center (703) 305-3028.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim CHU whose telephone number is (571) 272-7585 between 9:30 am to 6:00 pm, Monday to Friday.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kim-kwok CHU Examiner AU2653 November 29, 2005

(571) 272-7585

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800